

# INDEX MAPS.

**T. 32 N. R. 9 W. 2<sup>nd</sup> — Mer.**

Meanders - 442

	424	423	423	423	423	423	423	423	423	423	423	423
425	6	441	5	437	4	434	3	431	2	428	1	422
	441		441		436		433		431		428	
425	7	440	8	436	9	433	10	430	11	428	12	422
	440		440		436		433		430		427	
425	18	440	17	435	16	433	15	430	14	427	13	422
	439		439		435		432		430		427	
424	19	439	20	435	21	432	22	430	23	427	24	422
	438		438		435		432		429		426	
424	30	438	29	434	28	432	27	429	26	426	25	421
	437		437		434		432		429		426	
424	31	437	32	434	33	431	34	429	35	426	36	421
	421		420		420		419		419		419	

Meanders — 442

**T. 33 N. R. 9 W. 2<sup>nd</sup> — Mer.**

	451		451		450		450		450		449	
453	6	470	5	465	4	462	3	459	2	457	1	449
	470		469		464		462		459		457	
452	7	469	8	464	9	462	10	459	11	457	12	449
	468		468		464		461		459		455	
452	18	467	17	464	16	461	15	458	14	455	13	449
	467		467		463		461		458		455	
452	19	466	20	463	21	461	22	458	23	454	24	448
	466		466		463		460		457		454	
451	30	465	29	463	28	460	27	457	26	454	25	448
	465		465		462		460		457		453	
451	31	465	32	462	33	460	34	457	35	453	36	448
	448		447		447		447		447		447	

[P] The figures on the lines refer to the page.

South Boundary

(Cor. 5° 55' E)

West on South Side Sec. 36

Began in dry prairie

- 40.00 Set gr. sec. post from which (Leave prairie)  
 @ W. Oak 30 in. dia. bears N. 30 E. 73 lbs. distant  
 @ " Do 32 " " " N. 37 W. 27 " "  
 80.00 Set post cor. to Sec. 35 & 36 from which  
 @ Y. Oak 10 in. dia. bears N. 32 E. 36 lbs. dist.  
 @ " Do 14 " " " N. 19 1/2 W. 47 " "  
 Land gently rolling 2<sup>nd</sup> rate thinly timbered  
 with oak.

West on South Side Sec. 35

- 20.34 To a W. Oak 12 in. dia.  
 40.00 Set gr. sec. post from which  
 @ W. Oak 20 in. dia. bears N. 49 E. 46 lbs. dist.  
 @ " Do 26 " " " N. 75 W. 65 " "  
 61.66 @ Y. Oak 18 " "  
 80.00 Set post cor. to Sec. 34 & 35 from which  
 @ W. Oak 10 in. dia. bears N. 39 E. 29 lbs. dist.  
 @ " Do 20 " " " N. 79 W. 19 " "  
 Land &c. much the same

West on South Side Sec. 34

- 3.52 To a Willow 4 in. dia. cor. on right Bank of,  
 Kankakee River course N. W.  
 7.40 To a Maple 6 in. dia. cor. on left Bank of River  
 10.81 To " Do 4 " " " " Right do " "  
 Course West  
 31.20 Leave River course South West to a Birch  
 14 in. dia. cor. on left Bank  
 37.77 To a Birch 6 in. dia. cor. on R. Bank, cor. N. W.  
 40.00 Set gr. sec. post in River, no bearings  
 42.21 To an Ash 4 in. dia. cor. on left Bank of River  
 50.09 To a Birch 20 in. dia. cor. " " " " cor. S. W.

# T. 32 N. ~ R. 9 W. 2<sup>nd</sup> Mer. Twp. 2<sup>nd</sup>

- 55.00 Set post on Right Bank of River from which  
 @ Birch 26 in. dia, bears N. 63 W. 23 lbs. dist.  
 " B. Oak 32 " " " G. 73 W. 72 " "
- 67.88 To a Birch 10 in. dia, cor. on Right B. R. cor. N. 11 W.
- 71.00 Set post on Left Bank of River from which  
 @ Maple 14 in. dia, bears N. 78 E. 16 lbs. dist.  
 " Birch 12 " " " G. 12 W. 31 " "
- 77.67 To a Willow 10 " " cor. on Left Bank R. cor. S. W.
- 80.00 Cor. to Secs 33 & 34 in River  
 Land flat & 2<sup>nd</sup> rate Timber Oak, Ash, Elm  
 Maple & Willow,

West on South Side Sec. 33.

- 5.61 To a Birch 20 in. dia, cor. on R. Bank of River
- 24.20 " an Ash 6 " "
- 38.00 " " Stream 40 lbs wide course South, where  
 Leave Timber & Enter dry prairie
- 40.00 Set gr. Sec. post from which  
 @ Birch 20 in. dia, bears S. 57 E. 2.44 lbs. dist.  
 @ Do 10 " " " N. 79 E. 2.14 " "
- 80.00 Set post cor. to Secs 32 & 33 from which  
 @ W. Oak 16 in. dia, bears N. 46 E. 7.13 lbs. dist.  
 @ " Do 20 " " " N. 52 E. 6.86 " "
- Land level 1<sup>st</sup> 1/2 poor, Timber Ash Elm, Oak  
 Maple & Willow, 2 1/2 prairie, Soil good  
 rather flat,

West on South Side Sec. 32

- 40.00 Set gr. Sec. post from which  
 @ Y. Oak 5 in. dia, bears N. 72 1/2 W. 6.58 lbs. dist.  
 " " Do 14 " " " West 7.46 " "
- 47.50 Leave prairie & Enter Timber
- 51.66 To a Y. Oak 12 in. diam.
- 68.00 Enter Willows & Bk. Ash Swamp.
- 79.50 Leave " " " " & Enter prairie
- 80.00 Set post cor. to Secs 31 & 32 from which

421

T. 32 N. R. 9 W. 2<sup>nd</sup> Sec. Near Indiana

@ B. Oak 26 in. dia. bears N. 50 E. 651 lks. dist.  
 " Willow 4 " " " S. 13 W. 145 " "  
 Land level & 2<sup>nd</sup> rate Timber Oak Willow & Birch

West on South Side Sec. 31

40.00 Set gr. Sec. post from which

@ B. Oak 8 in. dia. bears S. 56 W. 100 lks. dist.

" " Do 16 " " " S. 11 $\frac{1}{2}$  W. 160 " "

43.00 Leave prairie

47.57 To a Bk Oak 14 in. dia.

67.00 Enter prairie

80.34 Intersect W. boundary 109 lks. S. of temp. post  
 where set post cor. Towns 31 & 32 N. Rs. 9 & 10 met

a Birch 18 in. dia. bears S. 30 E. 488 lks. dist.

& a Do. 12 " " " S. 58 W. 692 " "

Land level, soil good. Timber Oak,

Surveyed in 1834 by

Sylvester Sibley. Dep. Sur.

East Boundary

(Var. 6° 00' E)

North on East Side Sec. 36

Began in dry prairie

6.00 Enter wet prairie

40.00 Set gr. Sec. post from which

@ W. Oak 7 in. dia. bears N. 57 $\frac{3}{4}$  E. 9.63 lks. dist.

@ Y. Oak 20 " " " N. 68 $\frac{1}{2}$  E. 8.71 " "

76.00 Leave wet prairie

80.00 Set post cor. to Secs 25 & 36 from which

@ Y. Oak 9 in. dia. bears S. 40 W. 46 lks. dist.

@ " Do 22 " " " West 79 " "

Land flat & poor a few scattering oak,

North on East Side Sec. 25

8.00 Enter wet prairie

40.00 Set gr. Sec. post, no mound, no wet, no timber



T. 32 N., R. 9 W. 2<sup>nd</sup> Mer. Indiana

- 67.00 Enter Timber  
 72.00 Leave Do & Enter wet prairie  
 80.00 Set post cor. to Secs 24 & 25 from which  
 @ Y. Oak 4 in. dia, bears S. 4 E. 9, 00 lbs. dist.  
 " " Do 20 " " " S. 8 1/2 W. 9, 02 " "  
 Land all same

- North on East Side Sec. 24  
 40.00 Set gp. Sec. post in 2 or 3 feet water no  
 Timber near,  
 80.00 Set post cor. to Secs 13 & 24 no mound nor  
 bearings, a mound might be raised in dry  
 line, land all poor wet prairie

- North on East Side Sec. 13,  
 40.00 Set gp. Sec. post, S. 6. of a small grove of oak, from which  
 @ W. Oak 8 in. dia, bears N. 56 W. 3. 14 lbs. dist.  
 " Willow 7 " " " North 2. 61 " "  
 42.61 " Do 7 " "  
 80.00 Set post cor. to Secs 12 & 13 no bearings water  
 deep, all poor wet prairie

- North on East Side Sec. 12  
 40.00 Set gp. Sec. post in deep water, no bearings  
 80.00 Set post cor. to Secs 1 & 12 in deep water no bearings  
 Land as before

- North on East Side Sec. 1  
 40.00 Set gp. Sec. post from which  
 an Aspin 7 in. dia, bears S. 38 W. 161 lbs. dist.  
 @ Willow 4 " " " S. 49 W. 90 " "  
 65.00 Enter dry prairie  
 80.00 Set post Temporary, cor. to Towns, 32 & 33, No 8 & 9 West  
 wet prairie as before, dry prairie good  
 Surveyed July 8th, 1834 by

Hyman Sibbey Dep. Sur.

North Boundary

West on South Side Sec. 36 T. 33 N. R. 9 W. (Bar. 5° 55' E)  
 Begun in dry prairie  
 40.00 Set gr. Sec. post. no mound no bearings  
 77.00 Enter Small grove of Timber  
 80.00 Set post cor. to Sec. 35 & 36 from which  
 @ Br. Oak 8 in. Dia bears N. 75 E. 48 lbs dist.  
 " Cherry 9 " " " N. 65 W. 73 " "  
 Land rolling & 1<sup>st</sup> rate prairie, Timber in grove  
 Oak Hickory & Cherry.

West on South Side Sec. 35 T. 33 N. R. 9 W.  
 2.00 Leave grove & Enter Marsh  
 4.00 To a Stream 20 M wide course South  
 8.00 Enter dry prairie  
 40.00 Set gr. Sec. post where raise a mound. no bearings  
 80.00 Set post cor. to Sec. 34 & 35, where raise a mound  
 no bearings Land rolling 1<sup>st</sup> rate prairie

West on South Side Sec. 34 T. 33 N. R. 9 W.  
 40.00 Set gr. Sec. post where raise a mound. no bearings  
 75.00 Enter wet prairie  
 80.00 Set post cor. to Sec. 33 & 34 in wet prairie, no  
 mound in consequence of water. no bearings  
 Land much as before

West on South Side Sec. 33 T. 33 N. R. 9 W.  
 5.00 Leave wet prairie  
 40.00 Set gr. Sec. post. where raise a mound no bearings  
 80.00 Set post cor. to Sec. 32 & 33 where raise a mound  
 Land Same

West on South Side Sec. 32 T. 33 N. R. 9 W.  
 40.00 Set gr. Sec. post. where raise a mound. no bearings  
 80.00 Set post cor. to Sec. 31 & 32 where raise a mound  
 no bearings Land Same

T. 32 N. — R. 9 W. 2<sup>nd</sup> Mer. Indiana

West on South Side Sec. 31 T. 32 N. R. 9 W.

40.00 Set g. Sec. post where raise a mound no bearings

65.00 Enter North of a grove

78.64 Intersect W. Boundary 46 Mo. S. of Temporary  
where Set post cor. to Towns 32 & 33 N. R. 9 & 10 W.,  
a W. Oak 10 in. dia. bears S. 20 E. 143 Mo. dist.

" G. Oak 10 " " " N. 32 E. 135 " "

Land rolling & 1<sup>st</sup> rate mostly prairie a few  
Scattering Oak on last quarterSurveyed 10<sup>th</sup> July, 1834 bySylvester Sibley  
Deft. Sur.

## West Boundary

(Cor. 6° 25' E)

North on East Side Sec. 36 T. 32 N. R. 10 W.

Began in dry prairie

10.00 Leave dry &amp; enter wet prairie

40.00 Set g. Sec. post, tower to raise a mound

80.00 Set post cor. to Sec. 25 & 36 too wet to raise  
a mound, no bearings, land flat & poor no timber

North on East Side of Sec. 25 T. 32 N. R. 10 W.

40.00 Set g. Sec. post too wet to raise a mound

50.00 Set post cor. to Sec. 24 & 25 from which  
a W. Ash 8 in. dia. bears N. 68 E. 194 Mo. dist.  
a W. Oak 8 " " " N. 80 E. 234 " "

Land &amp; C. Land some Scattering Ash &amp; Oak,

North on East Side Sec. 24 T. 32 N. R. 10 W.

18.00 Leave wet prairie:

38.00 Enter " do

40.00 Set g. Sec. post from which

a G. Oak 6 in. dia. bears S. 10 E. 337 Mo. dist.

" " Do 8 " " " G. 162 E. 355 " "

80.00 Set post cor. to Sec. 13 &amp; 24 &amp; raise a mound

Land level and mostly wet, prairie, soil  
poor. Timber a few scattering oak,

North on East Side Sec. 13 T. 32 N. R. 10 W.  
1.00 Leave wet & enter dry prairie  
40.00 Set gr. Sec. post, where raised mound no bearing  
50.00 " Bend in stream 30 rods wide from N. E. &  
Runs S. E.  
78.00 " Pond hole  
86.00 Set post on to Sec. 12 & 13 from which  
" W. Oak 20 in. dia. bears S. 42 E. 3.90 W. dist.  
" Hickory 20 " " " S. 13 1/2 W. 4.97 " "  
Land level & good, Timber much as before

North on East Side Sec. 12 T. 32 N. R. 10 W.  
2.50 Leave pond hole & enter prairie  
40.00 Set gr. Sec. post from which  
" W. Oak 14 in. dia. bears S. 20 W. 4.71 W. dist.  
" " Do 14 " " " S. 12 W. 5.59 " "  
52.00 To a stream 30 rods wide on S. E. & leave prairie  
61.41 " " (Y. Oak 28 in. dia.  
80.00 Set post on. to Sec. 1 & 12 from which  
" W. Oak 26 in. dia. bears S. 38 W. 85 W. dist.  
" " Do 24 " " " S. 66 W. 1.10 " "  
Land gradually rolling, 1<sup>st</sup> rate Timber set, oak,

North on East Side Sec. 1 T. 32 N. R. 10 W.  
27.04 To W. Oak 10 in. dia.  
40.00 Set gr. Sec. post from which  
" W. Oak 22 in. dia. bears S. 6 W. 39 W. dist.  
" " Do 22 " " " N. 70 W. 79 " "  
80.00 Set Temporary post on. to Towns 33 & 32 N. Range  
9 & 10 West  
Land rolling & 1<sup>st</sup> rate Timber oak,  
Surveyed July 10th 1834 by  
Sylvester Sibley Dep. Sur.

*T. 32 N. R. 9 W. 2nd Mer. Indiana*

*C. Sec.*

*Subdivisions*

(200. 6.00' E)

*North* Between Sections 35 & 36  
 78 To a Blk oak 12 in. dia.  
 3.48 " W. oak 20 " "  
 4.50 Enter marshy prairie  
 40.00 Set gr. Sec. post no mound no bearings  
 80.00 Set post cor. to Sec. 25, 26, 35 & 36 no mound  
 no bearings, Sand level, Timbered with Blk  
 oak, prairie covered with cane, flag, bulrush  
 & water grass, Soil 2<sup>nd</sup> rate

*East* on Random between Sec. 25 & 36  
 9.00 Leave marsh & enter prairie  
 25.00 Leave " " wet prairie  
 41.00 Enter timber  
 80.28 Intersect E. Boundary 37 lbs N. of post, Sand  
 level 3<sup>rd</sup> rate, W. & B. oak, cane Bulrush & grass

*West* Correct line between Sec. 25 & 36  
 40.14 Set gr. Sec. post no mound no bearings  
 80.28 Section corner,

*North* Between Sections 25 & 26  
 29.00 Leave marsh & enter Timber  
 30.55 To a Blk oak 18 in. dia.  
 40.00 Set gr. Sec. post from which  
 W. oak 15 in. dia. bears N. 59 E. 7 lbs dist.  
 " " Do 15 " " " S. 30 1/2 W. 55 " "  
 45.00 Enter prairie  
 80.00 Set post in bluish cor. to Sec. 23, 24, 25 & 26  
 no mound no bearings, Sand level. B. & W.  
 oak, prairie (wet 2<sup>nd</sup> rate),

*East* on Random between Sec. 24 & 25  
 80.54 Intersect Range line 28 lbs, North of post,



Co. Mo. Land level and marshy 3<sup>rd</sup> rate, cane bullrush  
flag & swamp grass

West Corner line between Sec. 24 & 25  
40.27 Set gr. Sec. post no mound no bearings  
80.54 Section corner,

North Between Sections 23 & 24 .  
40.00 Set gr. Sec. post in marsh no mound no bearings  
54.50 Enter grove of W. & M. oak  
59.61 To a W.M. oak 24 in. dia,  
59.78 " " " Do 18 " "  
60.25 Enter marshy prairie  
80.00 Set post in marsh cor. to Sec. 13, 14, 23 & 24  
no mound no bearings, land level 3<sup>rd</sup> rate  
prairie, marsh growth same as last line,

East on Range between Sec. 13 & 24  
27.50 Center grove  
31.25 Leave same & enter marsh  
80.52 Intersect Range line 10 links North of post.  
Land level and marshy soil & productions  
same as last line

West Corner line between Sec. 13 & 24  
40.26 Set gr. Sec. post in marsh no mound no bearings  
80.52 Section corner, March 21<sup>st</sup> 1835

North Between Sections 13 & 14  
40.00 Set gr. Sec. post in marsh, no mound no bearings  
80.00 Set post in marsh cor. to Sec. 11, 12, 13 & 14, no  
mound no bearings, land level, 3<sup>rd</sup> rate  
cane, flag, bullrush & swamp grass,

East on Range between Sec. 12 & 13  
80.88 Intersect Range line 1 link North of post

32 M. B. of M<sup>gna</sup> Mo. Indiana

6.21. Land level Soil & production same as last line

West Correct line between Sec<sup>s</sup> 12 & 13

40.44 Set gr. Sec. post in marsh no mound no bearings

80.88 Section corner,

North Between Sections 11 & 12

15.00 Leave marsh & enter dry prairie

40.00 Set gr. Sec. post from which

to Br. Oak 30 in. dia, bears N. 78° W. 5.59 lks. dist;  
no other tree near

80.00 Set post in wet prairie or marsh cor to Sec<sup>s</sup> 1, 2, 11 &  
12, no mound bearings, Land level, 2<sup>nd</sup> rate  
note covered with Swamp & prairie grass.

March 3<sup>rd</sup> 1838

East on Randon between Sec<sup>s</sup> 1 & 12

81.25 Intersect Range line 15 lks. south of post, Land  
level wet prairie, Soil & productions same as  
last line

West Correct line between Sec<sup>s</sup> 1 & 12

40.62 Set gr. Sec. post in marsh no mound no bearings

81.25 Section corner,

North Between Sections 1 & 2

40.00 Set gr. Sec. post from which

to Br. Oak 24 in. dia, bears N. 56½ W. 12.09 lks. dist;  
no other tree near

70.00 Enter Timber

78.53 To a Hickory 24 in. diam,

80.26 Intersect N. Boundary 1.47 lks west of post  
where set cor to Sec<sup>s</sup> 1 & 2 from which

to Br. Oak 9 in. dia, bears S. 17 W. 16 lks. dist;

" " Do 12 " " " S. 17 W. 27 " "

Land level Soil 2<sup>nd</sup> rate, dry, oak & Hickory

T 32 N. R. 9 W. 2<sup>nd</sup> Sec. Indiana

429

E. Sec. Undergrowth Maple & grass, March 8<sup>th</sup> 1835

North Between Sections Sec. 34 & 35

3.47 Set W. Oak 20 in. dia.

6.04 " " " Do 26 " "

19.08 " " " Do 30 " "

40.00 Set gr. Sec. post from which

to W. Oak 15 in. dia. bears S. 63 $\frac{1}{2}$  W. 50 lbs. dist.

" " Do 12 " " " N. 39 $\frac{1}{2}$  E. 61 " "

54.50 Leave Timber & enter marshy prairie

80.00 Set post in marsh cor. to Sec. 26, 27, 34 & 35, no mound nor bearings, land level Timber W. & B. W. Oak undergrowth prairie grass & cane

East on Random between Sec. 26 & 35

79.33 Intersect E. line of Sec. 55 lbs N. of post, land level & 3<sup>rd</sup> rate marsh, growth. cane, flag, Bullrush & Swamp grass,

West Corner line between Sec. 26 & 35

39.66 $\frac{1}{2}$  Set gr. Sec. post in marsh, no mound nor bearings

79.33 Section corner, March 1<sup>st</sup> 1835

North Between Sections 26 & 27

40.00 Set gr. Sec. post in marsh no mound nor bearings

80.00 Set post in marsh cor. to Sec. 22, 23, 26 & 27 no mound nor bearings, land level 3<sup>rd</sup> rate growth cane, flag, Bullrush & Swamp grass,

East on Random between Sec. 23 & 26

11.00 Enter Grove of Blk. & White Oak

15.00 Leave " " " " " & enter marsh

79.76 Intersect E. line of Sec. 61 lbs N. of post Land level & marshy soil & productions same as last line

T. 32 N. - R. 9 W. 2<sup>nd</sup> Mer. Indiana

West Corner line between Sec. 23 & 26

39.88 Set gr. S.E. post in marsh no mound no bearings

79.76 Section Corner,

North "Between Sections 22 & 23

40.00 Set gr. S.E. post in marsh no mound no bearings

80.00 Set post in marsh cor. to Sec. 14, 15, 22 & 23, no mound no bearings, land level & marshy growth, cane, flag, Bulrush, & Swamp grass 3<sup>rd</sup> note

East on Random between Sec. 14 & 23

80.50 Intersect E. line of Sec. 90 the North of post, land level, Soil & productions same as last line

West Corner line between Sec. 14 & 23

40.25 Set gr. S.E. post in marsh no mound no bearings

80.50 Section Corner,

North "Between Sections 14 & 15

40.00 Set gr. S.E. post in marsh no mound no bearings

80.00 Set post in marsh cor. to Sec. 10, 11, 14 & 15

no mound no bearings, land level Soil & productions same as last line

East on Random between Sec. 11 & 14

79.60 Intersect E. line of Sec. 60 the North of post

land level, Soil & productions same as last line

West Corner line between Sec. 11 & 14

39.80 Set gr. S.E. post in marsh no mound no bearings

79.60 Section Corner, March 3<sup>rd</sup> 1835

North "Between Sections 10 & 11

40.00 Set gr. S.E. post in marsh no mound no bearings

80.00 Set post in marsh cor. to Sec. 2, 3, 10 & 11 no mound no bearings, land level & marshy or wet prairie

T. 32 N. - R. 9 W. 2<sup>nd</sup> Mer. Indiana

431

6. Shs. Second rate, growth Swamp prairie grass

East On Random between Sec. 2 & 11  
 49.00 Enter grove of scattering Bk. Tr. & W. Oak & Hickory  
 61.00 Leave " " " "  
 79.53 Intersect E. line of Sec. 29 the North of post, land level, Soil & productions same as last line, but prairie except Grove

West Corner of line between Sec. 2 & 11  
 39.76 1/2 Set gr. Sec. post in deep marsh (no mound nor bearing)  
 79.53 Section corner, March 8<sup>th</sup> 1835

North Between Sections 2 & 3  
 10.00 Leave West & Enter dry prairie  
 20.00 Set gr. Sec. post, when saw a mound  
 pit East 5 lks. dist.  
 80.10 Intersect North Boundary 93 lks. West of post,  
 when set post in mound cor. to Sec. 2 & 3  
 pit South 6 lks. dist.  
 Land gently rolling, Soil sandy, 2<sup>nd</sup> rate  
 growth prairie grass. March 5<sup>th</sup> 1835

North Between Sections 33 & 34  
 3.46 Over River, when set post on Right Bank fm. wh.  
 & Birch 20 in. dia. bears S. 88 W. 26 lks. dist.  
 5.75 To an Elm 20 " " "  
 13.30 " " Do 15 " "  
 22.50 Leave Timber & Enter marsh  
 40.00 Set gr. Sec. post in marsh (no mound nor bearing)  
 72.50 Enter grove of Bk. Oak  
 79.50 Leave " " Do  
 80.00 Set post cor. to Sec. 27, 28, 33 & 34 from which  
 to Bk. Oak 26 in. dia. bears S. 20 E. 77 lks. dist.  
 " " Do 24 " " " S. 29 W. 108 " "  
 Land level 3<sup>rd</sup> rate, 16. Bk. Tr. & S. Oak, Elm, hys, Ash, Oak & Birch



T. 32 N. R. 9 W. 2<sup>nd</sup> Mer, Indiana

East on Random between Sec<sup>s</sup> 27 & 28

79.60 Intersect East line of Sec<sup>s</sup> 50 lbs North of post;  
Land level + 3<sup>rd</sup> rate, growth cane, marsh + Swamp  
grass,

---

West Corner line between Sec<sup>s</sup> 27 & 28

39.86 Set gr. Sec. post in marsh no mound no bearings

79.60 Section Corner, March 3<sup>rd</sup> 1885

---

North Between Sections 27 & 28

40.00 Set gr. Sec. post in marsh no mound no bearings

80.00 Set post in marsh cor. to Sec<sup>s</sup> 21, 22, 27 & 28, no  
mound no bearings, Land level + marshy,  
growth cane, flag "Bullrush" + Swamp grass,

---

East on Random between Sec<sup>s</sup> 22 & 27

79.76 Intersect E. line of Sec<sup>s</sup> 21 lbs North of post;  
Land level, Soil + productions same as last line

---

West Corner line between Sec<sup>s</sup> 22 & 27

39.89 Set gr. Sec. post in marsh no mound no bearings

79.76 Section Corner,

---

North Between Sections 21 & 22

40.00 Set gr. Sec. post in marsh no mound no bearings

80.00 Set post in marsh cor. to Sec<sup>s</sup> 15, 16, 21 & 22 from which  
to Pa. Oak 15 in. dia, bears N. 2 E. 154 lbs. dist,  
" 16. Oak 26 " " " N. 2 1/2 W. 151 " "  
Land level + marshy. Soil + productions same  
as last line

---

East on Random between Sec<sup>s</sup> 15 & 22

79.30 Intersect E. line of Sec<sup>s</sup> 22 lbs North of post;  
Land level, Soil + productions same as last line

---

West Corner line between Sec<sup>s</sup> 15 & 22

39.65 Set gr. S. e. post in marsh no mound no bearings  
79.30 Section corner,

North Between Sections 15 & 16  
1.50 Enter Grove  
6.24 To a Blk. oak 24 in. dia.  
24.55 " " Hickory 10 " "  
33.00 Enter Prairie  
40.00 Set gr. S. e. post in marsh no mound no bearings  
80.00 Set post in marsh cor. to Secs 9, 10, 15 & 16 no mound  
no bearings. Land level prairie wet or marshy  
3<sup>rd</sup> rate, growth in ground B. & W. oak & Hickory, in  
Prairie Willow & grass

East on Random between Secs 10 & 15  
79.07 Intersect E. line of Sec 3 blk. North of post. Land  
level 3<sup>rd</sup> rate, wet prairie or marsh, growth grass,

West Corner line between Secs 10 & 15  
39.53 1/2 Set gr. S. e. post in marsh no mound no bearings  
79.07 Section corner, March 4<sup>th</sup> 1885

North Between Sections 9 & 10  
40.00 Set gr. S. e. post in marsh no mound no bearings  
79.50 To a Run 6 blk. wide, cor. S. W. becomes lost in marsh  
80.00 Set post in marsh cor. to Secs 3, 4, 9 & 10 no  
mound no bearings. Land level, 2<sup>nd</sup> rate  
mostly wet & marshy, growth Willow & grass,

East on Random between Secs 3 & 10  
94 To a Brook 6 blk. wide cor. S. W.  
78.75 Intersect E. line of Sec 9 20 blk. N. of post.  
Land W. 1/2 gently rolling, by E. 1/2 wet  
growth grass,

West Corner line between Secs 3 & 10

32 N. in R. of W<sup>g</sup> M<sup>g</sup> Mer, Indiana

39.37 $\frac{1}{2}$  Set gr. Sec. post where raised a mound, pit 6.6 lbs. dist.  
 48.75 Section corner,

North Between Sections 3 & 4

5.25 Go to Brook 8 lbs wide course S. E.

40.00 Set gr. Sec. post from which

to Blk Oak 24 in. dia. bears N. 29 E. 11.15 lbs. dist.  
 no other tree near

40.40 Go to Brook 6 lbs. wide. Crs. S. W.

44.90

80.14

Intersect N. Boundary 50 lbs. East of post, where  
 Set post in marsh cor. to Sec. 3 & 4 no mound nor  
 bearings. Same level. South half dep. N. half  
 Act. 2<sup>nd</sup> rate prairie & Swamp grass

March 9<sup>th</sup> 1835

North Between Sections 32 & 33

40.00 Set gr. Sec. post in marsh no mound nor bearings

80.00 Set post in marsh cor. to Sec. 28, 29, 32 & 33

Same level 3<sup>rd</sup> rate 25 chains on the South  
 End of line thinly timbered with, W. & B. oak  
 Ballance mark, growth cane, flag Bulrush &  
 Swamp grass

East on Raydon between Sec. 28 & 33

79.65 Intersect E. line of Sec. 19 lbs North of post

Same level 3<sup>rd</sup> rate marshy, growth cane,  
 flag Bulrush & water grass, near the middle of  
 the line a few scattering oaks,

West Correct line between Sec. 28 & 33

39.82 $\frac{1}{2}$  Set gr. Sec. post in marsh no mound nor bearings

79.65 Section corner,

North Between Sections 28 & 29

40.00 Set gr. Sec. post in marsh no mound nor bearings

80.00 Set post in marsh cor. to Sec. 20, 21, 28 & 29

6 <sup>th</sup>	no mound nor bearings, land level & marshy Soil & productions same as last line
East	on Random between Sec. 21 & 28
80.00	Intersect E. line of Sec. 7 <sup>th</sup> North of post Land level & marshy, Soil & productions same as last line
West	Correct line between Sec. 21 & 28
40.00	Set gr. Sec. post in marsh no mound nor bearings
80.00	Section corner.
North	Between Sections 20 & 21
40.00	Set gr. Sec. post in marsh no mound nor bearings
43.00	Enter Timber
45.25	an Ash 26 in. dia,
52.33	" Do 20 " "
53.18	" Do 26 " "
62.50	Leave Timber
80.00	Set post in marsh cor. to Sec. 16, 17, 20 & 21 no mound nor bearings, land level & marshy, 3 <sup>rd</sup> rate, Ash Elm and maple Swamp grass
East	on Random between Sec. 16 & 21
80.25	Intersect E. line of Sec. 9 <sup>th</sup> North of post; land level & marshy, 3 <sup>rd</sup> rate cane. flag, Buttrick and water grass,
West	Correct line between Sec. 16 & 21
40.12 1/2	Set gr. Sec post in marsh no mound nor bearings
80.25	Section corner.
North	Between Sections 16 & 17
3.00	Enter Oak grove
4.08	To a Blk oak 15 in. dia
16.00	Leave grove & Enter prairie

32 N. - R. 9 W. 2<sup>nd</sup> Mer, Indiana

40.00 Set gr. S. e. post in marsh no mound no bearings.

80.00 Set post in marsh cor. to Secs 5, 9, 16 & 17 no mound no bearings, land level. 3<sup>rd</sup> rate wet prairie on marsh, willow bushes & grass.

East on Random between Secs 9 & 16

80.00 Intersect E. line of Secs 43 the North of post, land level Soil & productions same,

West Corner line between Secs 9 & 16

40.00 Set gr. Sec, post in marsh no mound no bearings

80.00 Section Corner. March 5<sup>th</sup> 1835

North Between Sections 8 & 9

40.00 Set gr. S. e. post in marsh no mound no bearings

48.00 Leave wet prairie & enter dry,

64.00 Enter Timber

80.00 Set post cor. to Secs 4, 5, 8 & 9 from which  
 to W. Oak 30 in. dia. bears S. 11 W. 1, 31 lbs. dist.  
 " B. Oak 18 " " " N. 75 E. 1, 50 " "  
 Land 2<sup>nd</sup> rate rolling prairie level, Timber W. Br.  
 & B. Oak & Hickory, undergrowth Hazel & grass.

East on Random between Secs 4 & 9

42.00 Leave Timber & enter prairie

80.18 Intersect E. line of Secs 6 the South of post  
 Timber & land rolling, prairie level & dry 3<sup>rd</sup> rate  
 Hickory Bk, W. & Br. Oak undergrowth Hazel  
 Willow and prairie grass.

West Corner line between Secs 4 & 9

40.00 Set gr. Sec. post from which

to B. Oak 18 in dia. bears N. 32 E. 1, 97 lbs. dist.

" " Do 30 " " " S. 71 E. 1, 18 " "

68.50 To W. Oak 36 " "

80.18 Section Corner,



North Between Sections 4 & 5  
 39.00 Enter prairie  
 40.00 Set gr. Sec. post from which  
     to Br. Oak 26 in. 11 in. bears S. 37 W. 1.18 Mo. dist.  
     to Hickory 22 " " " S. 50 E. 3.86 " "  
 74.30 To an Indian Trail cr. S. W. 9 N. E.  
 80.32 Enter at N. Boundary 60 Mo East of post, land  
     mostly level & dry 2<sup>nd</sup> rate, Timber oak & Hickory  
     undergrowth Maple, Oak & prairie grass, where set  
     post Cor. to Sec. 4 & 5 & raise a mound  
     pit South 12 Mo. dist.  
 March 9<sup>th</sup> 1835

---

North Between Sections 31 & 32  
 40.00 Set gr. Sec. post in mound no bearings  
 80.00 Set post in marsh cr. to Sec. 29, 30, 31 & 32 no  
     mound no bearings, level land & marshy  
     3<sup>rd</sup> rate growth flag. Bullrush & Swamp grass.

---

East on Random between Sec. 29 & 32  
 79.80 Enter at E. line of Sec. 12 Mo. South of post  
     Soil & productions same as last line,

---

West Corner line between Sec. 29 & 32  
 39.90 Set Dr. Sec. post in marsh no mound no bearings  
 79.80 Section corner

---

West on Random between Sec. 30 & 31  
 80.44 Enter at Range line 90 Mo South of post  
     Level & mostly Soil & productions  
     same as last line

---

East Corner line between Sec. 30 & 31  
 40.44 Set gr. Sec. post in marsh no mound no bearings  
 80.44 Section corner

T 32 N. ~ R. 9 W. 2<sup>nd</sup>, Mer. Ind<sup>c</sup>

Path	between Sections 29 & 30
3.00	Enter Timber
8.42	To an Ash 24 in. dia,
14.60	" " Do 24 " "
17.76	" " Maple 30 " "
23.09	" " Red Oak 42 " "
32.33	" " W. Do 30 " "
36.16	" " R. Do 30 " "
39.00	Enter marshy prairie
40.00	Set gr. & c. post from which an Ash 20 in. dia, bears S. 11 $\frac{1}{2}$ W. 102 the dist <sup>t</sup>
70.00	Enter Timber
76.67	To an Ash 12 in. dia,
80.00	Set post on to Sec. 19, 20, 29 & 30 from which an Ash 12 in. dia, bears S. 47 $\frac{1}{2}$ E. 10 the dist <sup>t</sup> " Do 18 " " " N. 25 W. 50 " "
Land level & 3 <sup>rd</sup> rate, Timber in groves, Ash Maple Oak & Hickory, some Sugar & Walnut, in first ground heavy full of Elbow wood & other water growths,	

---

East	on Ransom between Sec. 20 & 29
43.50	Leave Timber & Enter marshy prairie
79.19	Intersect E. line of Sec. 10 the. South of post Land level, Soil & pos on stone saw as last line March 6 <sup>th</sup> 1885

---

West	on line between Sec. 20 & 29
39.59 $\frac{1}{2}$	Set gr. & c. post from which an Ash 16 in. dia, bears S. 25 E. 23 the. dist <sup>t</sup> " Do 12 " " " N. 75 W. 19 " "
79.19	Section corner,

---

West	on Ransom between Sec. 19 & 30
24.00	Leave Timber & Enter marshy prairie
79.61	Intersect Range line 70 the South of post,

East Land level & marshy 3<sup>rd</sup> rate Maple Ash Willow  
and Swamp grass,

West Connect line between Sec. 19 & 20  
39.61 Set gr. Sec. post in marsh no mound no bearings  
62.00 To an Ash 12 in. dia.  
79.61 Section corner,

North Between Sections 19 & 20  
94 To an Ash 20 in. dia.  
5.50 Leave Timber & enter marshy prairie  
32.09 Enter Timber a Willow 15 in. dia.  
37.81 To an Ash 10 in. dia.  
40.00 Set gr. Sec. post from which  
an Ash 8 in. dia. bears S. 61 $\frac{1}{2}$  E. 41 lks. dist.  
" Do 6 " " " N. 44 W. 48 " "  
48.50 Enter prairie  
50.00 Set post in marsh cor. to Sec. 17, 18, 19 & 20  
Land level & marshy, 3<sup>rd</sup> rate, growth  
Ash, Willow, Aspen & C. undergrowth  
Willow, Elbow Wood Swamp grass.

East on Range line between Sec. 17 & 20  
79.25 Intersect E. line of Sec. 30 lks. South of post, land  
level & marshy, 3<sup>rd</sup> Swamp grass growth

West Connect line between Sec. 17 & 20  
39.62 Set gr. Sec. post in marsh no mound no bearings  
79.25 Section corner,

West on Range line between Sec. 18 & 19  
79.10 Intersect Range line 1 chain South of post  
Land level & marshy 3<sup>rd</sup> growth, can. flag  
Brush & Swamp grass,

East Connect line between Sec. 18 & 19

## T. 32 N. R. 9 W. 2nd Mer. Indiana

39.10	Set gr. Sec. post in marsh no mound na bearings
49.10	Section Corner March 7 <sup>th</sup> 1835
North	Between Sections 17 & 18
40.00	Set gr. Sec. post in marsh no mound na bearings
50.00	Set post in marsh cor. to Sec. 7, 8, 17 & 18, no mound na bearings land level 2 <sup>nd</sup> rate, wet prairie growth willow. Swamp & prairie grass.
West	on Random between Sec. 8 & 17
74.53	Intersect line of Sec. 10 the South of post, land level. Soil & production same as last line
West	Correct line between Sec. 8 & 17
39.76	Set gr. Sec. post in marsh no mound na bearings
79.53	Section Corner
West	on Random between Sec. 7 & 18
63.00	Leave prairie & enter marsh
77.50	To a Birch 5 the line cor South
79.66	Intersect Range line 1 chain South of post land level & 2 <sup>nd</sup> rate prairie growth Hazel & prairie grass.
East	Correct line between Sec. 7 & 18
39.66	Set gr. Sec. post which raises a mound pit East 5 the dist.
79.66	Section Corner
North	Between Sections 7 & 8
40.00	Set 2 <sup>nd</sup> Sec. post from which a B. oak 30 in. diam bears N. 56 E. 325 the, dist. no other tree near
45.00	Enter Timber
50.08	To a Sym 18 in. diam,

T. 32 N. R. 9 W. 2nd Mer. Indiana 441

58.00 Leave Timber & Enter prairie  
 60.00 Set post in mound cor. to Sec. 5, 6, 7 & 8  
 pit South 4 Mo. dist.  
 Land gently rolling 1<sup>st</sup> rate, Timber Hickory,  
 Oak, Sycamore, undergrowth Hickory, oak  
 Hazel grass &c.

East on Random between Sec. 5 & 8  
 11.00 Enter Timber  
 19.50 Leave Do & Enter wet prairie  
 33.93 To a Run 6 Mo. wide corner South  
 37.50 Enter Timber  
 39.38 Intersect E. line of Sec. 20 Mo. South of post  
 Land rolling, 2<sup>nd</sup> rate, Br. Oak & Hickory  
 no undergrowth

West correct line between Sec. 5 & 8  
 39.69 Set Dr. Sec. post from which  
 to W. Oak 18 in. dia, bears N. 57 $\frac{1}{2}$  E. 88 Mo. dist.  
 to W. Oak 26 " " " S. 55 W. 139 " "

West on Random between Sec. 6 & 7  
 20.00 To an Indian Trail corner S. W. & N. E.  
 58.25 Enter Timber  
 60.25 Intersect Range line 1 Chain South of post,  
 Land rolling and 1<sup>st</sup> rate, Timber Br. Oak &  
 Hickory, undergrowth Sassafras & Hazel,

East correct line between Sec. 6 & 7 from which  
 to Br. Oak 24 in. dia, bears N. 83 $\frac{1}{2}$  E. 56 Mo. dist.  
 to " Do 20 " " " S. 39 E. 116 " "  
 40.25 Set gr. Sec. post, 1 ch. raise a mound, pit & 5 Mo. dist.  
 Section corner,

Path Between Sections 5 & 6  
 17.90 To an Indian Trail corner S. W. & N. E.



T. 32 N. R. 9 W. 2<sup>nd</sup> Mer, Indiana

110.00 Set gr. S. e. post where ran a mound pit E. 40 lbs dist.  
 81.00 ~~Set post in mound. pit South of the dist. cor,~~  
 5 & 6, Land gently rolling, 1<sup>st</sup> rate prairie grass  
 @ March 10<sup>th</sup> 1835. (Intersect N. boundry, 140 lbs. E. of post)

The foregoing described Township is mostly a deep  
 marsh containing some small groves of Timber  
 of little value, & probably Bog or may be found here,  
 The Tier of sections on the North Boundary &  
 Secs 7 & 8 contain good farming land & tolerable  
 Timber. The creek in S. e. 2 immediately after  
 crossing the town line becomes lost in a marsh,  
 also the one crossing the line between Secs 7 & 18  
 called by the Indians Weesepow becomes lost  
 in a deep marsh

Meanders of Kankakee River Beginning at cor.  
 tree on Town line on left bank then es. downstream

Course	Conts.	1 <sup>st</sup> Bend
N. 71 W.	2.00	In Sec. 34
S. 68 1/2 W.	1.64	To cor. tree on Town line
from another cor. tree on Town line		
N. 56 3/4 W.	2.29	In Sec. 34, 2 <sup>nd</sup> Bend
S. 87 1/2 W.	3.88	
S. 63 1/2 W.	2.42	To cor. tree on Town line
from post on Town line 3 <sup>rd</sup> bend		
N. 45 W.	4.66	
S. 86 1/2 W.	2.88	
S. 44 W.	4.12	To post on Town line cor. to Secs 33 & 34

Course	Chs	Meanders of Mauckes River continued Beginning at cor. tree on Right Bank S. Side of Sec. 34 thence down Stream In Sec. 34
N. 55 1/2 W.	5.50	
S. 83 W.	2.67	
S. 53 W.	4.15	To Town line thence with said line
West	3.60	
N. 85 W.	4.86	
N. 74 1/2 W.	4.22	
S. 85 1/2 W.	2.78	
S. 61 W.	2.53	To cor. tree on Town line
N. 41 1/2 W.	4.85	from cor. tree on Town line at next bend below.
N. 81 W.	4.50	
S. 75 1/2 W.	8.02	
S. 39 1/2 W.	2.84	To cor. tree on Town line
N. 41 W.	7.21	In Sec. 34 From Post in Town line at last bend
S. 86 1/2 W.	5.00	
S. 57 1/2 W.	2.84	To post on line between Secs 33 & 34
S. 57 W.	2.00	In Sec. 33
S. 53 W.	2.32	
S. 64 1/2 W.	2.29	To cor. tree on Town line S. Side Sec. 33

I hereby certify that in pursuance of a  
Contract with Mr. J. Williams Surveyor  
General of the United States, for the States  
of Ohio & Indiana & the Territory of Michigan  
bearing date the 26<sup>th</sup> of Sept. 1834 & in  
strict conformity to the Laws of the United  
States & the Instructions of said Surveyor General,  
I have surveyed & subdivided into Secs, Town-  
ship No. 32 North of Range No. 9 West of  
the 2<sup>nd</sup> principal Meridian in the State

T. 32 N. R. 9 W. 2nd Mer. Indiana

I do further Certify that the foregoing  
field notes are the true & original ones of said  
Survey & Subdivision Executed as aforesaid  
Certified this 11<sup>th</sup> of March 1855

Saml. Goodnow

Dep<sup>y</sup> Surveyor

Robert P. Wilson }  
George Hoover } Chairmen  
Joel James } markers,

I Certify that the foregoing transcript of field  
notes of Township 32 North of Range 9 West  
2nd Meridian, State of Indiana, has been  
compared with the original in this office  
and found to be correct.

William Johnston  
Sur<sup>y</sup> Gen<sup>l</sup>

Surveyor General's office  
Cincinnati. Dec<sup>r</sup> 30<sup>th</sup> 1842